

Amendments to the Claims:

This following listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

Claim 1 (currently amended): A wireless transceiver device, the wireless transceiver device being arranged to interface with a roaming device, the wireless transceiver device comprising:

- computer code stored in said wireless transceiver device, said computer code for causing static physical location input information associated with the wireless transceiver device to be accepted;

- a memory arranged to store data, the memory further including an editable field, wherein the computer code for causing the static physical location input information to be accepted causes the static physical location input information to be stored in the editable field;

- computer code stored in said wireless transceiver device, said computer code for causing a record associated with the roaming device to be generated, the record being arranged to include the static physical location input information stored in the editable field and the data, wherein the computer code for causing the record associated with the roaming device to be generated further causes the record to be stored on the memory; and

- a processor for executing the computer codes, wherein the memory is further arranged to store the computer codes.

Claim 2 (previously presented): The wireless transceiver device of claim 1 further including computer code stored in said wireless transceiver device, said computer code for obtaining the data, wherein the data is obtained when the roaming device is in communication with the wireless transceiver device.

Claim 3 (original): The wireless transceiver device of claim 2 wherein the computer code for causing the record associated with the roaming device to be generated includes computer

code for causing the record associated with the roaming device to be generated when the roaming device registers with the wireless transceiver device.

Claim 4 (original): The wireless transceiver device of claim 2 wherein the computer code for causing the record associated with the roaming device to be generated includes computer code for causing the record associated with the roaming device to be generated when the roaming device deregisters from the wireless transceiver device.

Claim 5 (currently amended): The wireless transceiver device of claim 1 wherein the static location input information is a location associated with the wireless transceiver device, and the computer code for causing the static physical location input information to be accepted include computer code for causing the static physical location input information to be accepted from a source that is external to the wireless transceiver device.

Claim 6 (original): The wireless transceiver device of claim 1 wherein the wireless transceiver device is an access point.

Claim 7 (previously presented): A wireless transceiver device, the wireless transceiver device being arranged to interface with a first device, the transceiver device comprising:

- means for accepting input information associated with the wireless transceiver device;
- means for storing data, the means for storing the data further including means for storing the input information in an editable field, wherein the means for accepting the input information includes means for providing the input information to the editable field; and
- means for generating a record associated with the first device, the record being arranged to include the input information stored in the editable field, wherein the means for storing the data further includes means for storing the record.

Claim 8 (previously presented): The wireless transceiver device of claim 7 further including means for obtaining the data, wherein the data is obtained when the first device is in communication with the wireless transceiver device.

Claim 9 (previously presented): The wireless transceiver device of claim 8 wherein the means for generating the record include means for generating the record when the first device registers with the wireless transceiver device.

Claim 10 (previously presented): The wireless transceiver device of claim 8 wherein the means for generating the record include means for generating the record when the first device deregisters from the transceiver wireless device.

Claim 11 (currently amended): The wireless transceiver device of claim 7 wherein the input information is a physical location associated with the wireless transceiver device.

Claim 12 (previously presented): The wireless transceiver device of claim 11 wherein the location includes at least one of a longitude, a latitude, and an altitude associated with the transceiver device.

Claim 13 (previously presented): The wireless transceiver device of claim 7 wherein the wireless transceiver device is an access point and the first device is a roaming device.

Claim 14 (previously presented): The transceiver wireless device of claim 13 wherein the access point is a part of a wireless local area network, the transceiver wireless device further including:

means for obtaining the data from the first device when the first device is in communication with the transceiver wireless device to access the wireless local area network.

Claim 15 (previously presented): The wireless transceiver device of claim 14 wherein the means for generating the record associated with the first device includes means for placing the data obtained from the first device in the record and means for placing the input information stored in the editable field in the record.

Claim 16 (previously presented): The wireless transceiver device of claim 15 wherein the means for generating the record further includes means for obtaining the input information from the editable field.

Claim 17 (currently amended): A method for utilizing a transceiver device, the transceiver device being a wireless transceiver device, the transceiver device having a communications range, the method comprising:

receiving static physical location information into an editable field stored in memory associated with the transceiver device, the static location information being information pertaining to the transceiver device;

storing the static physical location information into the editable field;

receiving an indication that a roaming device is within the communications range;

creating a record, the record being arranged to include information associated with the roaming device;

adding the static physical location information into the record; and

storing the record in the memory.

Claim 18 (currently amended): The method of claim 17 wherein the static physical location information is received from a source external to the transceiver device.

Claim 19 (original): The method of claim 17 wherein the record is created after the indication that the roaming device is within the communications range is received.

Claim 20 (currently amended): The method of claim 17 wherein adding the static physical location information into the record includes reading the static location information from the editable field.

Claim 21 (canceled)

Claim 22 (original): The method of claim 17 wherein the transceiver device is an access point.

Claim 23 (original): The method of claim 17 further including:
obtaining the information associated with the roaming device when the indication that the roaming device is within the communications range is received.

Claims 24 - 28 (canceled)

Claim 29 (currently amended): A method for utilizing an access point, the access point having a communications range, the method comprising:

receiving static physical location information into an editable field stored in a memory of the access point, the static physical location information being information pertaining to the access point;

storing the static physical location information into the editable field;

receiving an indication that a roaming device is within the communications range;

registering the roaming device after the indication is received, wherein registering the roaming device includes performing a remote authentication;

creating a record after registering the roaming device, the record being arranged to include information associated with the roaming device;

obtaining the static physical location information from the editable field;

adding the static location information into the record; and

storing the record in the memory.